


IN AREAS NOT TO BE
PAVED, PROVIDE 4" TOPSOIL
AND REVEGETATE.

FINISHED GROUND OR SUBGRADE.



COMPACTED BACKFILL
IN SITU TRENCH MATERIAL
FREE OF ROCK AND CLODS
GREATER THAN 6".
(SEE SPEC. ITEM 510)

UNDISTURBED EARTH.

BED TO TOP OF PIPE.

PEA GRAVEL OR PIPE BEDDING
STONE ENVELOPE, EXCLUDING
STONE SCREENINGS.
(SEE SPEC. ITEM 510)

CENTER PIPE IN TRENCH.

NOTE:

ALL TRENCHING AND TRENCH SAFETY SHALL COMPLY WITH APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

RECORD SIGNED COPY
ON FILE AT PUBLIC WORKS
APPROVED

08-21-03
DATE

THE ARCHITECT/ENGINEER ASSUMES
RESPONSIBILITY FOR THE APPROPRIATE
USE OF THIS DETAIL.

CITY OF ROUND ROCK

**STORM SEWER LINE
BEDDING DETAIL
(NON-PAVED SURFACE)**

DRAWING NO:
D-02

