


**NON-PAVED SURFACE:**

(A) PROVIDE 6" OF TOPSOIL AND REVEGETATE

(B) PROVIDE COMPACTED BACKFILL IN SITU TRENCH MATERIAL FREE OF ROCK AND CLODS GREATER THAN 4", COMPACTED IN 6" LIFTS, TO 85% (SEE SPEC. ITEM 510)

**PROPOSED PAVED SURFACE:**

SUBGRADE PREP, FLEXIBLE BASE AND H.M.A.C. PER PAVEMENT PLANS, UNDER SEPARATE PROCEDURE



**NOTE:**

ALL TRENCHING AND TRENCH SAFETY SHALL COMPLY WITH APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

RECORD SIGNED COPY  
ON FILE AT PUBLIC WORKS

APPROVED

12-04-13

DATE

THE ARCHITECT/ENGINEER ASSUMES  
RESPONSIBILITY FOR THE APPROPRIATE  
USE OF THIS DETAIL. (NOT TO SCALE)

**CITY OF ROUND ROCK**

**WATERLINE BEDDING AND  
SURFACE REPAIR DETAIL**

**(NON-PAVED & PROPOSED PAVED SURFACE)**

DRAWING NO:  
WT-08

